

National Integrated
Drought Information
System
Southeast US Pilot
for ApalachicolaFlint-Chattahoochee
River Basin

7 February 2012





### Current drought status from Drought Monitor

## U.S. Drought Monitor

January 31, 2012

Valid 7 a.m. EST

#### Southeast

Drought Conditions (Percent Area)


	None	D0-D4	D1-D4	D2-D4	D3-D4	D4
Current	27.29	72.71	55.82	35.78	20.34	3.71
Last Week (01/24/2012 map)	30.52	69.48	54.04	32.17	19.37	1.22
3 Months Ago (11/01/2011 map)	41.84	58.16	44.93	32.80	21.45	0.00
Start of Calendar Year (12/27/2011 map)	40.38	59.62	43.05	28.62	18.71	0.00
Start of Water Year (09/27/2011 map)	42.24	57.76	41.82	31.77	23.48	0.00
One Year Ago (01/25/2011 map)	8.50	91.50	66.38	24.17	5.78	0.00





The Drought Monitor focuses on broad-scale conditions. Local conditions may vary. See accompanying text summary for forecast statements.

http://droughtmonitor.unl.edu











Released Thursday, February 2, 2012 Eric Luebehusen, USDA


## **Cumulative Rainfall Deficits**

Past 30 days


Past 180 days

http://water.weather.gov/precip/

Georgia: Current 30-Day Percent of Normal Precipitation Valid at 2/6/2012 1200 UTC- Created 2/7/12 0:07 UTC




Georgia: Current 180-Day Percent of Normal Precipitation Valid at 2/6/2012 1200 UTC- Created 2/7/12 0:21 UTC



# 7-day Rainfall Totals

Georgia: Current 7-Day Observed Precipitation

Valid at 2/6/2012 1200 UTC- Created 2/6/12 23:55 UTC




# Realtime stream flow compared with historical monthly averages

#### **Previous Month:**

Tuesday, January 17, 2012 07:30E

#### **Current:**

Monday, February 06, 2012 12:30ET





http://waterwatch.usgs.gov


## Below Normal 7-day Average Streamflows

Previous month:


Below normal 7-day average streamflow as compared with historical streamflow for day shown

**Current:** 

http://waterwatch.usgs.gov



Explanation - Percentile classes						
Low	<=5	6-9	10-24	Insurfit lent data for a hydrologic		
Extreme hydrologic drought	Severe hydrologic draught	Moderate hydrologic drought	Below normal	region		




## Lake Lanier Inflows


Chestatee near Dahlonega (02333500)

http://waterwatch.usgs.gov

# Chattahoochee near Cornelia (02331600)


Explanation - Percentile classes						
lowest- 10th percentile	10-24	25-75	76-90	90th percentile -highest	Flow	
Much below normal	Below normal	Normal	Above normal	Much above normal		





Last updated: 2012-02-06

# Lake Lanier Levels (02334400) for Previous 60 Days




#### **Current Streamflows**


# Chattahoochee at West Point (02339500)

http://waterwatch.usgs.gov

# Flint at Bainbridge (02356000)


Explanation - Percentile classes						
lowest- 10th percentile	10-24	25-75	76-90	90th percentile -highest	Flow	
Much below normal	Below normal	Normal	Above normal	Much above normal		





#### Streamflows


Apalachicola at Chattahoochee (02358000)




http://waterwatch.usgs.gov

Explanation - Percentile classes					
lowest- 10th percentile	10-24	25-75	76-90	90th percentile -highest	Flow
Much below normal	Below normal	Normal	Above normal	Much above normal	


#### **Groundwater Status**




http://groundwaterwatch.usgs.gov




#### **Daily Average Salinity at East Bay Bottom**



#### **Daily Average Salinity at Cat Point**




#### **Daily Average Salinity at Dry Bar**





# USACE – ACF Reservoir Forecasts

Water Management USACE, Mobile District













#### West Point Action Zones and Actual 2012 Elevations








#### 2012 ACF Basin Composite Conservation & Flood Storage



Actual data through 2-05-2012


Add value of 1,856,000 acre-ft to include inactive storage.

# 5-Day Precipitation Forecast




# Week one precipitation probability

This image shows the probability of receiving at least 1 inch (25 mm) of rain during the 1-week period starting on February 7. The ACF has less than 30% probability of getting this much rain.




# Week two precipitation probability

This image shows the probability of receiving at least 1 inch (25 mm) of rain during the 1week period starting on February 14. The ACF has less a 60 to 80% probability of getting this much rain.




# Two-week precipitation probability

This image shows the probability of receiving at least 2 inches (50 mm) of rain during the 2-week period starting on February 7. The ACF has a 30% to 50% probability of getting this much rain.




## 7-day average Pacific Ocean SST Anomalies




http://www.cpc.ncep.noaa.gov/products/precip/CWlink/MJO/enso.shtml

# La Nina Composites and This year

## January




# La Nina Composites




## **Precipitation Outlook**

1-month





3-month (JFM)




http://www.cpc.ncep.noaa.gov/products/predictions/30d

## U.S. Drought Outlook










### **Flint River Drought Protection Act**

- Authorizing legislation passed by GA General Assembly in 2000 in response to low flow predictions
- Set up a system where farmers could suspend SW irrigation during a drought in return for a per acre payment (auction)
- A drought must be declared by Director of EPD by March 1 and the auction completed no later than March 22
- Inaugural auction held March 15, 2001
  - 33,101 acres retired from irrigated production
  - Average bid: \$136/acre
  - \$4.5 million paid to growers
- Auction held again in 2002
  - 40,894 acres retired
  - Average bid: \$128/acre
  - \$5.2 million paid to growers
- Major changes for Act after Flint River Water Dev. and Conservation Plan passed March 2006



# Flint River Drought Protection Act (2006)

- Designation of different "use" areas
- Ground water now eligible for participation
- "Fixed" and metered systems only
- Act may be targeted on smaller watersheds (нис 8)
- "Partial" buyout of an agricultural permit
- Involuntary suspension provisions remain



## Summary

- There has been moderate to full relief from drought in parts of the basin
- There is a very steep gradient from exceptional drought in a band along the middle of the coastal plan, to no drought in the north
- Lake Lanier levels have increased and are projected to increase further, but are likely to remain 6 to 8 feet below conservation targets; other reservoirs are near or above target conservation levels
- Streamflows in the northern part of the basin are near normal and have recovered somewhat in the southern part of the Chattahoochee, but have declined to the lowest 10<sup>th</sup> percentile in the southern part of the Flint River

## Summary

- Ground water levels continue to decline in the southern part of the basin and are at historic lows
- Salinity levels have moderated in Apalachicola Bay but are mostly above the 75<sup>th</sup> percentile
- While rain is forecast, La Niña conditions persist and the outlook is for drought to continue through the end of April

#### References

## **Speakers**

David Zierden, FSU
Tony Gotvald, USGS
Jennifer Wanat, FDEP
Robert Allen, US ACE
Jeffry Dobur, SERFC
Mark Masters, FRWPC

# <u>Moderator</u>

Keith Ingram, SECC/UF

#### Additional information

General drought information

http://drought.gov

http://www.drought.unl.edu

General climate and El Niño information <a href="http://agroclimate.org/climate/">http://agroclimate.org/climate/</a>

Streamflow monitoring

http://waterwatch.usgs.gov

#### Groundwater monitoring

http://groundwaterwatch.usgs.gov

# **Scheduled Briefings**

28 February 20 March